



Open the door
to your beautiful
life's most Moments



Milette opens our door to you!

You open and close doors to enter and exit rooms, to keep in the warm or cool air, to protect private moments, to divide spaces and to hide messes. Behind any door you'll find memorable moments. Not only do doors delineate your space, they also give personality to your daily life. They enhance your design and reflect your style.

Milette Doors manufactures superior quality doors with endless possibilities.

Turn to
page 30


For installation
and décor options
or visit our website
milette.com.




Follow these easy steps to choose your Milette door

1 Is your style classic or contemporary?
Classic styles are more traditional, with added details built into door components. Contemporary styles feature angular shapes and minimalist lines. Our Colonial models offer more classic character, while Shaker models are more contemporary.

2 Choose your model according to your style.



Colonial model
(Classic style)



Shaker model
(Contemporary style)

3 Which kind of door do you need?



Regular
slab door



BiFold
door

4 Select a model from among the doors available.

Colonial series

- French door
- Panel door
- Frame door with aluminum grill
- One-lite Frame door
- Three-dimensional glass
- Exterior door

Shaker series

- French door
- Panel door
-
- One-lite Frame door
-
- Exterior door

5 Customize your door.

Wood species



Wide selection of glass: Clear, privacy and opaque



For our full selection of glass options, please visit our website.

Colour choices
(Paint, Stain or Varnish)



Milette Doors offers an infinite world of possibilities. Open up and take a look!

Colonial French door

Colonial styles are all-time favorites, reflecting today's trends while offering timeless classic designs.

Wood species available

Birch, Clear Pine, Knotty Pine, Maple, Oak, White Primed

Doors shown in Clear Pine.

Standard measurements

Thickness:

1 3/8" (35 mm)

Width:

16" to 36" (406 to 914 mm)

Height:

80" (2,032 mm)



306Y 24" - 36"



3100 20" - 36"



3150 28" - 36"



3080C 20" - 36"



3050C 16" - 36"



3100C 20" - 36"



3150C 28" - 36"



3040C 16" - 36"



3080C 20" - 36"



3120C 28" - 36"



304AC 16" - 36"



308AC 20" - 36"



312AC 28" - 36"



303H 16" - 36"



303L 16" - 36"



303M 16" - 36"



304H 16" - 36"



304L 16" - 36"



304M 16" - 36"



3030C 24" - 36"



3060C 24" - 36"



3090C 28" - 36"



3050S 24" - 36"



3100S 24" - 36"



305H 16" - 36"



305L 16" - 36"



3050 16" - 36"



3040 16" - 36"



3080 20" - 36"



3120 28" - 36"



3150S 28" - 36"



3040S 24" - 36"



3080S 24" - 36"



3120S 28" - 36"



304AS 24" - 36"



304A 16" - 36"



308A 20" - 36"



312A 28" - 36"



3030 24" - 36"



3060 24" - 36"



3090 28" - 36"



308AS 24" - 36"



312AS 28" - 36"



3030S 24" - 36"



3060S 24" - 36"




3090S 28" - 36"

▲ Door illustrated is #3040C, Clear Pine, Satin White glass





▲ Door illustrated is #3050P, custom special order, Clear Pine, Satin White glass



Colonial Bifold French door


Ideal For smaller openings or confined spaces, bifold doors are as ingenious as they are functional, meeting your space-saving needs with charm and elegance. Opt for mirrored glass to make a room feel larger and brighter.

Wood species available

Birch, Clear Pine, Maple,
Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3/8" (35 mm)
Width: 20" to 36" (508 to 914 mm)
Height: 79" (2,007 mm)



303HP 20" - 36"



303LP 20" - 36"



3050CP 20" - 36"



3100CP 30" - 36"



3040CP 20" - 36"



3080CP 30" - 36"



303MP 20" - 36"



304HP 20" - 36"



304LP 20" - 36"



304MP 20" - 36"



305HP 20" - 36"



304ACP 20" - 36"



308ACP 30" - 36"



3030CP 20" - 36"



3060CP 30" - 36"



305LP 20" - 36"



3050P 20" - 36"



306YP 30" - 36"



3100P 30" - 36"



3040P 20" - 36"



3050SP 24" - 36"



3100SP 30" - 36"



3040SP 24" - 36"



3080SP 30" - 36"



3080P 30" - 36"



304AP 20" - 36"



308AP 30" - 36"



3030P 20" - 36"



3060P 30" - 36"



304ASP 24" - 36"



308ASP 30" - 36"



3030SP 24" - 36"



3060SP 30" - 36"



▲ Door illustrated is #3040CP, Clear Pine, Satin White glass



Colonial Panel door

Our panel door selection coordinates with century-old styles as well as today's new trends. We offer raised panel doors featuring panels in two standard thicknesses, 5/8" or 1 1/8", for added definition.



Wood species available

Birch, Clear Pine, Knotty Pine,
Maple, Oak, White Primed
Doors shown in Oak.

Standard measurements

Thickness: 1 3/8" (35 mm)
Width: 16" to 36" (406 to 914 mm)
Height: 80" (2,032 mm)

*Doors available with 1 1/8" panels in Clear Pine and Knotty Pine only



▲ Doors illustrated are #3050, Clear Pine, Screen glass and #205H, Clear Pine

					
2010 16" - 36"	202A 16" - 36"	2020* 16" - 36"	203E 24" - 36"	2010C 16" - 36"	202AC 16" - 36"
					
203T 16" - 36"	203K 16" - 36"	203A* 16" - 36"	2035* 16" - 36"	2036* 16" - 36"	2020C* 16" - 36"
					
203H* 16" - 36"	203L* 16" - 36"	204H* 16" - 36"	204L* 16" - 36"	203AC* 16" - 36"	2040C* 24" - 36"
					
205H* 16" - 36"	205L* 16" - 36"	204F* 16" - 36"	204Z* 16" - 36"	2040* 24" - 36"	2010S 24" - 36"
					
2050* 24" - 36"	206T 24" - 36"	2060* 24" - 36"	206R* 24" - 36"	2080* 24" - 36"	203KS 24" - 36"
					
					203AS* 24" - 36"
					
					2040S* 24" - 36"



▲ Doors illustrated are #3050, Clear Pine, Screen glass and #205H, Clear Pine



Colonial Bifold panel door

In an era of increasingly restricted living spaces and multiFunctional rooms, double bifold doors brilliantly overcome the challenge of a lack of space. Bifolds can also be used as a double door space. Bifolds can also be used as a double door system to make any opening a grand entrance.

Wood species available

Birch, Clear Pine, Knotty Pine,
Maple, Oak, White Primed
Doors shown in Oak.

Standard measurements

Thickness:

1 3/8" (35 mm)



Width:

20" to 36" (508 to 914 mm)

Height:

79" (2,007 mm)

*Doors available with 1 1/8" panels in Clear Pine and Knotty Pine only



2010P 20" - 36"



202AP 20" - 36"



2020P* 20" - 36"



203EP 20" - 36"



203KP 20" - 36"



203AP* 20" - 36"



2035P* 20" - 36"



2036P* 20" - 36"



203TP 20" - 36"



203HP* 20" - 36"



203LP* 20" - 36"



204FP* 20" - 36"



204ZP* 20" - 36"



204HP* 20" - 36"



204LP* 20" - 36"



205LP* 20" - 36"



205HP* 20" - 36"



2010CP 20" - 36"



202ACP 20" - 36"



2020CP* 20" - 36"



203ACP* 20" - 36"



203KCP 20" - 36"



2010SP 24" - 36"



202ASP 24" - 36"



2020SP* 24" - 36"



203ASP* 24" - 36"



203KSP 24" - 36"

Colonial LOFT Collection



▲ Door illustrated is #1M80, Clear glass, White Primed


Frame door with decorative glass

Wood species available

Birch, Clear Pine, Knotty Pine, Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3⁄8" (35 mm)
Width: 16" to 36" (406 to 914 mm)
Height: 80" (2,032 mm)




Bifold frame door with decorative glass

Wood species available

Birch, Clear Pine, Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3⁄8" (35 mm)
Width: 20" to 36" (508 to 914 mm)
Height: 79" (2,007 mm)



*Note: Models illustrated with code L have a 20 mm wide grill.
Models illustrated with code M have a 40 mm wide grill.



Colonial RENAISSANCE Collection



Frame door with decorative glass


The Renaissance Collection adds beauty and elegance with a variety of aluminum grill colours. Multiple glass choices provide boundless design inspiration.

Wood species available

Birch, Clear Pine, Knotty Pine, Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3⁄8" (35 mm)
Width: 16" to 36" (406 to 914 mm)
Height: 80" (2,032 mm)



Bifold frame door with decorative glass

Wood species available

Birch, Clear Pine, Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3⁄8" (35 mm)
Width: 20" to 36" (508 to 914 mm)
Height: 79" (2 007 mm)





Colonial One-lite frame door

To brighten a room with natural light, choose a one-lite door. With many options to choose from, you will find a door and glass style to complement your room's décor with depth and brilliance.



Wood species available

Birch, Clear Pine, Knotty Pine,
Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3/8" (35 mm)
Width: 16" to 36" (406 to 914 mm)
Height: 80" (2,032 mm)




Bifold one-lite frame door

Wood species available

Birch, Clear Pine, Maple,
Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3/8" (35 mm)
Width: 20" to 36" (508 to 914 mm)
Height: 79" (2,007 mm)





Colonial Frame door with three-dimensional glass

Each piece of three-dimensional glass is unique, featuring slight variations in texture, surface fragments and transparency levels for added charm and originality.

Wood species available

Birch, Clear Pine, Knotty Pine,
Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3/8" (35 mm)
Width: 16" to 36" (406 to 914 mm)
Height: 80" (2,032 mm)

*Glass designs may vary depending on door width.
Please visit our website to view design and width variations.



Bifold frame door with three-dimensional glass

Wood species available

Birch, Clear Pine, Maple,
Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3/8" (35 mm)
Width: 20" to 36" (508 to 914 mm)
Height: 79" (2,007 mm)

BALTIQUE




1000 16" - 36"

1010 16" - 36"

101A 16" - 36"

MONDRIANT




1000 16" - 36"

1010 16" - 36"

101A 16" - 36"

SUZANNE



1000 16" - 36"

1010 16" - 36"

101A 16" - 36"

JULIE



1000 16" - 36"

1010 16" - 36"

101A 16" - 36"

LUPA G

LUPA D

LUPA G

LUPA D



1000 16" - 36"

1010 16" - 36"

1010 16" - 36"

1010 16" - 36"

SUZANNE




1000P 20" - 36"

1010P 20" - 36"

101AP 20" - 36"



Shaker french door



French door

A clean design with crisp, straight lines that complements a minimalist or contemporary design style.

Wood species available

Birch, Clear Pine, Knotty Pine, Maple,
Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness:

1 3/8" (35 mm)

Width:

16" to 36" (406 to 914 mm)

Height:

80" (2,032 mm)



803H 16" - 36"



803L 16" - 36"



804H 16" - 36"



804L 16" - 36"



805H 16" - 36"



805L 16" - 36"

Bifold french door

Wood species available

Birch, Clear Pine, Maple,
Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness:

1 3/8" (35 mm)

Width:

20" to 36" (508 to 914 mm)

Height:

79" (2,007 mm)



803HP 20" - 36"



803LP 20" - 36"



804HP 20" - 36"



804LP 20" - 36"



805HP 20" - 36"



805LP 20" - 36"



Shaker Panel door

Wood species available

Birch, Clear Pine, Knotty Pine,
Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness:
1 3/8" (35 mm)
Width:
16" to 36" (406 to 914 mm)
Height:
80" (2,032 mm)



7910 16" - 36"



792A 16" - 36"



7920 16" - 36"



793T 16" - 36"



793K 16" - 36"



793A 16" - 36"



793S 16" - 36"



793H 16" - 36"



793L 16" - 36"



7936 16" - 36"



794F 16" - 36"



794H 16" - 36"



794L 16" - 36"



794Z 16" - 36"



795H 16" - 36"



795L 16" - 36"



793E 24" - 36"



796T 24" - 36"



796R 24" - 36"



7980 24" - 36"


Shaker Bifold panel door

Wood species available

Birch, Clear Pine, Knotty Pine,
Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness:
1 3/8" (35 mm)
Width:
20" to 36" (508 to 914 mm)
Height:
79" (2,007 mm)



7910P 20" - 36"



792AP 20" - 36"



7920P 20" - 36"



793EP 20" - 36"



793TP 20" - 36"



793KP 20" - 36"



793AP 20" - 36"



7935P 20" - 36"



7936P 20" - 36"



793HP 20" - 36"



793LP 20" - 36"



794ZP 20" - 36"



794FP 20" - 36"



794HP 20" - 36"



794LP 20" - 36"



795HP 20" - 36"



795LP 20" - 36"



▲ Doors illustrated are #795HP, Clear Pine





▲ Door illustrated is #6000, Satin White glass, White Primed

Shaker One-lite frame door

Wood species available

Birch, Clear Pine, Knotty Pine,
Maple, Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness:
1 3/8" (35 mm)
Width:
16" to 36" (406 to 914 mm)
Height:
80" (2,032 mm)



6000 16" - 36"



6910 16" - 36"



691A 16" - 36"



6000P 20" - 36"



6910P 20" - 36"



691AP 20" - 36"

Wood species available

Birch, Clear Pine, , Maple,
Oak, White Primed
Doors shown in Clear Pine.

Standard measurements

Thickness:
1 3/8" (35 mm)
Width:
20" to 36" (508 to 914 mm)
Height:
79" (2,007 mm)

Shaker One-lite bifold frame door



Shaker Exterior door



▲ Door illustrated is #A04H, Clear Thermo glass and custom special order Sidelite, Clear Pine

Wood species available

Clear Pine

Standard measurements

Thickness:
9000 series: 1 3/4" (45 mm)
A000 series: 2 1/4" (57 mm)

Width:

32" (813 mm)
34" (864 mm)
36" (914 mm)

Sidelite width: 14" (356 mm)
Height: 82" (2,083 mm)



903H 32"-36"
A03H 32"-36"



903H 14"
A03H 14"



904H 32"-36"
A04H 32"-36"



904H 14"
A04H 14"



905H 32"-36"
A05H 32"-36"



905H 14"
A05H 14"



923H 32"-36"
A33H 32"-36"



923H 14"
A33H 14"



924H 32"-36"
A34H 32"-36"



924H 14"
A34H 14"



925H 32"-36"
A35H 32"-36"



925H 14"
A35H 14"



Milette can deliver your doors with a wide range of features to achieve the look you want, making installation a snap!

Milette Doors offers many installation options for your doors. We can trim or build your doors to custom sizes, premachine for hinges, drill for handle and latch holes, and machine for door accessories. We can include a complete jamb kit and even professionally paint or stain your doors for you.

Milette Doors makes finishing your door project easy!

- 1

Door width and height
 - Standard sizes according to door style
 - Custom built to your measurements (some restrictions may apply)


- 2

Installation options



Premachined

Hinges premachined and door handle holes drilled at standard or custom locations.




Door assembly kit

Includes door frame, premachining for frame and door, hinges, astragal, flush bolts and/or roller latches for double door system.

- 3

Hardware options

Colours: Brass, Silver, Brushed Silver



Hinge




Roller latch




Flush bolt

- 4

Transoms & Sidelites
 - Transoms above doors are available in many different models, frame and glass options.



- Sidelites are available in single and double door units to match any door model.



- 5

A selection of colours

Paint, Stain, Varnish



Please visit our website millettedoors.com for technical drawings and specifications.



▲ Doors illustrated are custom special order #3050, Clear glass, White Primed



Canadian made quality doors!

When you buy a Milette door:

- You choose a recognized industry leader
- You choose our expertise and precise craftsmanship
- You choose a superior quality product made with the latest and most advanced technology
- You enjoy a flawlessly smooth surface thanks to our sophisticated veneer techniques and four-stage sanding process
- You choose the strength and durability of a door that will last for years and comes with a one-year warranty against all manufacturing defects
- You choose a company that values customer service
- You choose our innovative, FSC®-certified products that comply with LEED specifications
- You choose to support the Canadian economy

Open the door to your life's most beautiful moments!



The mark of responsible forestry



Made in Canada





Milette Doors
100, avenue Industrielle
Saint-Boniface (Quebec)
G0X 2L0, Canada

1-800-567-2931
info@milettedoors.com



milettedoors.com