Full Louver & Louver / Louver by PBI Doors

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 08 14 00

PRODUCT DESCRIPTION: This HPD covers Full Louver and Louver over Louver doors by PBI Doors. The analyzed representative door has the following dimensions: 30" x 80" x 1-3/8" (width x height x thickness).



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- ① 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS C Other

Residuals/Impurities

Residuals/Impurities Considered in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Yes
 No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

Yes Ex/SC ○ Yes ○ No.

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

WOODEN PARTS #1 [SC:PINE Not Screened SC:WOOD Not Screened UNDISCLOSED LT-UNK MELAMINE-UREA-FORMALDEHYDE (MUF) LT-UNK UNDISCLOSED BM-4 UNDISCLOSED LT-UNK UNDISCLOSED BM-4 UNDISCLOSED LT-UNK UREA LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-4 UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES | SKI UNDISCLOSED LT-P1 | RES | SKI UNDISCLOSED LT-UNK | CAN SLACK WAX (PETROLEUM) LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED BM-1 | DEL | PHY | MAM | END | MUL | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | PHY | EYE UNDISCLOSED LT-P1 | AQU | SKI | EYE | END | MUL UNDISCLOSED LT-1 CAN | MUL UNDISCLOSED LT-P1 | END | MUL | SKI UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-2 | AQU | MAM | SKI | EYE | END | MUL UNDISCLOSED LT-P1 | AQU | SKI | EYE | MUL UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | AQU | MAM | SKI | EYE | MUL UNDISCLOSED LT-UNK | RES | MUL | CAN UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK] WOODEN PARTS #2 [SC:PINE Not Screened SC:WOOD Not Screened UNDISCLOSED BM-4 UNDISCLOSED LT-UNK UREA LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 RES | SKI MELAMINE-UREA-FORMALDEHYDE (MUF) LT-UNK UREA FORMALDEHYDE LT-P1 | RES SLACK WAX (PETROLEUM) LT-1 | CAN | MUL AMMONIUM ION SOLUTION FOR ISE, 0.1 M NH4+, ANALYTICAL STANDARD (FOR ION-SELECTIVE ELECTRODES) LT-P1 | EYE | END] SLATS [SC:WOOD Not Screened UREA LT-UNK SLACK WAX (PETROLEUM) LT-1 | CAN | MUL MELAMINE-UREA-FORMALDEHYDE (MUF) LT-UNK UNDISCLOSED BM-4 UNDISCLOSED LT-1 | RES | CAN |

Number of Greenscreen BM-4/BM3 contents ... 7

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

The Full Louver and Louver over Louver doors have been screened at 1,000 ppm so that all intentional materials and known potential residuals and impurities present above that threshold have been reported. Several substances are protected by NDAs between the preparer and suppliers. The product contains special condition materials, biological materials, which have been reported accordingly.

MAM | SKI | GEN | MUL | END UREA FORMALDEHYDE LT-P1 | RES

MITROGEN NoGS **BIURET (PRIMARY CASRN IS 108-19-0) | LT-UNK UREA,

N,N"-METHYLENEBIS- NoGS WATER BM-4 AMMONIUM ION SOLUTION

FOR ISE, 0.1 M NH4+, ANALYTICAL STANDARD (FOR ION-SELECTIVE

ELECTRODES) LT-P1 | EYE | END] PAINT [WATER BM-4 LIMESTONE,

CALCIUM CARBONATE LT-UNK KAOLIN CLAY LT-UNK | CAN TITANIUM

DIOXIDE LT-1 | CAN | END ETHYLENE GLYCOL MONOBUTYL ETHER

(EGBE) BM-2 | SKI | EYE | END RUTILE TITANIUM DIOXIDE LT-1 | CAN 1,2-BENZISOTHIAZOLIN-3-ONE (BIT) LT-P1 | AQU | SKI | EYE | MUL] UV

FINISH [OILS, SOYABEAN ACRYLATE, EPOXIDISED LT-UNK

TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | AQU | SKI | EYE | MUL

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE LT-UNK 1-PROPANONE,

2-HYDROXY-2-METHYL-1-PHENYL- LT-UNK TALC BM-1 | CAN

BENZOPHENONE LT-1 | CAN | END ACRYLIC ACID LT-P1 | AQU | SKI | MUL

] WOOD DOWELS [SC:WOOD Not Screened]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Not Tooted

Tested

Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Vertima VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-01-10 PUBLISHED DATE: 2020-01-10 EXPIRY DATE: 2023-01-10



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

WOODEN PARTS #1

%: 64.00 - 67.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed in accordance with suppliers

OTHER MATERIAL NOTES: Alternative material to Wooden parts #2. Similar wooden assembly provided by 2 different suppliers. Wooden parts are made of pine (67-70w%), thin MDF(21-23w%), and 3 types of glues (5.1-7.3w%). Three types of glues are used for finger jointing of the wooden parts, edging and face lamination. Glue compositions have been obtained from supplier through a NDA process with the preparer.

SC:PINE				ID: SC:Bio
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 202				20-01-10
%: 67.00 - 70.00	GS: Not Screened	RC: None	NANO: No	ROLE: structural component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS .	
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: Pinus Taeda, Pinus Elliotti

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological

Please refer to other material notes.

SC:WOOD				ID: SC:E
HAZARD SCREENING METHOD: I	HAZARD SCRE	ENING DATE: 20	20-01-10	
%: 16.80 - 21.20	GS: Not Screened	RC: None	nano: No	ROLE: structural component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: multiple softwood species

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10			
%: 2.50 - 3.30	GS: LT-UNK	RC: None	nano: No	ROLE: polymer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found or	n HPD Priority Hazard Lists		

SUBSTANCE NOTES: Please refer to other material notes. Face lamination glue.

MELAMINE-UREA-FORMALDEHYDE (MUF)

ID: 25036-13-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10			
%: 1.50 - 4.10	GS: LT-UNK	RC: None	NANO: No	ROLE: resin	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	arnings found on HF	PD Priority Hazard Lists	

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10			
%: 0.80 - 1.20	GS: BM-4	RC: None	nano: No	ROLE: solvent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found on	HPD Priority Hazard Lists		
SUBSTANCE NOTES: Please	e refer to other material notes. Edging glue.					

HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING	DATE: 2020-01-1	0
%: 0.50 - 0.70	GS: LT-UNK	RC: None	nano: No	ROLE: filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Please	e refer to other material notes. Edging glue.		

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10			
%: 0.20 - 0.60	GS: BM-4	RC: None	NANO: No	ROLE: solvent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found on	HPD Priority Hazard Lists		

UNDISCLOSED

SUBSTANCE NOTES: Please refer to other material notes. Finger jointing glue.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10			
%: 0.20 - 0.50	gs: LT-UNK	RC: None	nano: No	ROLE: polymer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found or	n HPD Priority Hazard Lists		
	e refer to other material notes. Finger jointing glu		warnings found or	1 HPD Priority Hazar		

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.10 - 0.20

GS: LT-UNK

RC: None

NANO: No

ROLE: scavenger

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Please refer to other material notes.

HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING DATE: 2020-01-10		
%: 0.10 - 0.20	GS: LT-UNK	RC: None	nano: No	ROLE: polymer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10			
%: 0.09 - 0.14	GS: LT-UNK	RC: None	nano: No	ROLE: polymer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No	warnings found or	n HPD Priority Hazard Lists		

SUBSTANCE NOTES: Please refer to other material notes. Edging glue.

SUBSTANCE NOTES: Please refer to other material notes. Edging glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.09 - 0.10	GS: BM-4	RC: None	nano: No	ROLE: solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found on	HPD Priority Hazard Lists	
D.					

SUBSTANCE NOTES: Please refer to other material notes. Face lamination glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.05 - 0.07	GS: NoGS	RC: None	nano: No	ROLE: filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	arnings found on HP	D Priority Hazard Lists	
SUBSTANCE NOTES: Please refer to other material notes. Face lamination clue.					

H <i>A</i>	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-01-10		
%:	: 0.04 - 0.06	GS: LT-UNK	RC: None	nano: No	ROLE: filler	

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Please refer to other material notes. Face lamination glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.02 - 0.04	GS: LT-P1	RC: None	nano: No	ROLE: catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs)	- sensitizer-induc	ed
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes s	severe skin burns a	and eye damage

SUBSTANCE NOTES: Please refer to other material notes. Finger jointing glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.02 - 0.03	GS: LT-P1	RC: None	nano: No	ROLE: catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs)	- sensitizer-induc	ed
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes	severe skin burns	and eye damage

SUBSTANCE NOTES: Please refer to other material notes. Face lamination glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.01 - 0.02	gs: LT-UNK	RC: None	nano: No	ROLE: filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic eff but not sufficient for classification		arcinogenic effects

SUBSTANCE NOTES: Please refer to other material notes. Face lamination glue.

SLACK WAX (PETROLEUM) ID: 64742-61-6

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZ	ZARD SCREEN	ING DATE: 2020-0	01-10
%: 0.00 - 0.50	gs: LT-1	RC:	None	nano: No	ROLE: water repellent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	EU - GHS (H-Statements)		H350 - Ma	ay cause cancer	
CANCER	EU - REACH Annex XVII CMRs		_		substances which should be reinogenic to man
MULTIPLE	ChemSec - SIN List		CMR - Ca	rcinogen, Mutag	en &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 3 -	Severe Hazard to	Waters
CANCER	EU - Annex VI CMRs		Carcinoge animal ev		Presumed Carcinogen based on
CANCER	GHS - Australia		H350 - Ma	ay cause cancer	

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.05	GS: LT-UNK	RC: None	nano: No	ROLE: solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		Nov	warnings found on	HPD Priority Hazard Lists

SUBSTANCE NOTES: Please refer to other material notes. Finger jointing glue.

SUBSTANCE NOTES: Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.05	gs: LT-UNK	RC: None	nano: No	ROLE: polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found or	n HPD Priority Hazard Lists	
SUBSTANCE NOTES: Please refer to other material notes. Finger jointing glue.					

HAZARD SCREENING METHOD: Pha	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-1	RC: None	nano: No	ROLE: solvent	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia	H350 - May cause cancer

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10	
%: 0.00 - 0.01	GS: BM-1	RC: None NANO: No ROLE: reactant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity	
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour	
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed	
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin	
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled	
ORGAN TOXICANT	EU - GHS (H-Statements)	H370 - Causes damage to organs	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]	

 $\hbox{\scriptsize SUBSTANCE NOTES: P lease refer to other material notes. Edging glue.}$

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-UNK	RC: None	nano: No	ROLE: ingredient	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Please refer to other material notes. Edging glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-UNK	RC: None	NANO: No	ROLE: ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		

SUBSTANCE NOTES: Please refer to other material notes. Edging glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-P1	RC: None NANO: No ROLE: ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES: Please refer to other material notes. Edging glue.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	HAZARD SCREENING DATE: 2020-01-10			
%: 0.00 - 0.01	gs: LT-1	RC: None	NANO: No	ROLE: solvent		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia	H350 - May cause cancer

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-P1	RC: None NANO: No ROLE: ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

 $\hbox{\scriptsize SUBSTANCE NOTES: P lease refer to other material notes. Edging glue.}$

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-P1	RC: None	NANO: No	ROLE: ingredient	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GENE MUTATION	GHS - New Zealand	6.6A - Known or presumed human mutagens

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: BM-2	RC: None NANO: No ROLE: ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects		
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed		
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage		
MAMMALIAN	EU - GHS (H-Statements)	H330 - Fatal if inhaled		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES: Please refer to other material notes. Edging glue.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-P1	RC: None NANO: No ROLE: ingredient			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life			
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction			
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Cause	H318 - Causes serious eye damage		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization			

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-P1	RC: None	nano: No	ROLE: ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{Please}\ \textbf{refer}\ \textbf{to}\ \textbf{other}\ \textbf{material}\ \textbf{notes}.\ \textbf{Edging}\ \textbf{glue}.$

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	gs: LT-P1	RC: None	nano: No	ROLE: ingredient	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	
ACUTE AQUATIC EU - GHS (H-Statements) H400 - Very toxic to aquation	c life
CHRON AQUATIC EU - GHS (H-Statements) H410 - Very toxic to aquation	c life with long lasting effects
MAMMALIAN EU - GHS (H-Statements) H301 - Toxic if swallowed	
SKIN IRRITATION EU - GHS (H-Statements) H314 - Causes severe skin	burns and eye damage
SKIN SENSITIZE EU - GHS (H-Statements) H317 - May cause an allerg	ic skin reaction
EYE IRRITATION EU - GHS (H-Statements) H318 - Causes serious eye	damage
MAMMALIAN EU - GHS (H-Statements) H330 - Fatal if inhaled	
MULTIPLE German FEA - Substances Hazardous to Class 3 - Severe Hazard to Waters	Waters

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-UNK	RC: None NANO: No ROLE: ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		

SUBSTANCE NOTES: Please refer to other material notes. Edging glue.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-1	RC: None	nano: No	ROLE: defoamer	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Please refer to other material notes. Face lamination glue.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.01	GS: LT-UNK	RC: None NANO: No ROLE: viscosit		ROLE: viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			

SUBSTANCE NOTES: Please refer to other material notes. Face lamination glue.

WOODEN PARTS #2

%: 64.00 - 67.00

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed in accordance with suppliers data.

other material notes: Alternative material to Wooden parts #1. Similar wooden assembly provided by 2 different suppliers. Wooden parts are made of pine (96w%), thin MDF(3.5w%), and 2 types of glues (0.3w%). Two types of glues are used for finger jointing of the wooden parts, face lamination. Glue compositions have been obtained from supplier through a NDA process with the preparer.

SC:PINE		ID: SC:Bic	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-01-10			
%: 96.00	GS: Not Screened	RC: None NANO: No ROLE: structural component	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: pinus strobus

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Please refer to other material notes.

SC:WOOD

ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 2.90 - 3.30	GS: Not Screened	RC: PreC	nano: No	ROLE: structural component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: multiple softwood species

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Please refer to other material notes.

UNDISCLOSED

HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10			
%: 0.14 - 0.15	gs: BM-4	RC: None	nano: No	ROLE: solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found on	HPD Priority Hazard Lists	
SUBSTANCE NOTES: Please	refer to other material notes. Assembly glue.				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.10 - 0.13	GS: LT-UNK	RC: None NANO: No ROLE: po		ROLE: polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found No warnings found on HPD Priority Hazard Lists				

SUBSTANCE NOTES: Please refer to other material notes. Assembly glue.

UREA ID: 57-13-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-01-10		
%: 0.02 - 0.05	GS: LT-UNK	RC: None	nano: No	ROLE: scavenger	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		N	o warnings found	on HPD Priority Hazard Lists	

UNDISCLOSED

SUBSTANCE NOTES: Please refer to other material notes.

HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10			
%: 0.00 - 0.01	gs: LT-UNK	RC: None	nano: No	ROLE: solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					
SUBSTANCE NOTES: Please	e refer to other material notes. Assembly glue.				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.02	GS: LT-UNK	RC: None	NANO: No	ROLE: polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					
SUBSTANCE NOTES: Pleas	e refer to other material notes. Assembly glue.				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.02	gs: LT-UNK	RC: None	nano: No	ROLE: polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found or	n HPD Priority Hazard Lists	
SUBSTANCE NOTES: Please	e refer to other material notes. Assembly glue.				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-01-10

%: 0.00 - 0.01	GS: LT-P1	RC: None NANO: No ROLE: catalyst		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		

SUBSTANCE NOTES: Please refer to other material notes. Assembly glue.

MELAMINE-UREA-FORMALDEHYDE (MUF)

ID: **25036-13-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10			
%: 0.00 - 0.53	gs: LT-UNK	RC: None	nano: No	ROLE: resin	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	ırnings found on HF	PD Priority Hazard Lists	
SUBSTANCE NOTES: Please	e refer to other material notes.				

UREA FORMALDEHYDE ID: 9011-05-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.42	gs: LT-P1	RC: None	nano: No	ROLE: resin	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			
1					

SUBSTANCE NOTES: Please refer to other material notes.

SLACK WAX (PETROLEUM)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 0.05	gs: LT-1	RC: None	NANO: No	ROLE: water repellent	

AGENCY AND LIST TITLES	WARNINGS
EU - GHS (H-Statements)	H350 - May cause cancer
EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GHS - Australia	H350 - May cause cancer
	EU - GHS (H-Statements) EU - REACH Annex XVII CMRs ChemSec - SIN List German FEA - Substances Hazardous to Waters EU - Annex VI CMRs

SUBSTANCE NOTES: Please refer to other material notes.

AMMONIUM ION SOLUTION FOR ISE, 0.1 M NH4+, ANALYTICAL STANDARD (FOR ION-**SELECTIVE ELECTRODES)**

ID: 89485-85-8

HAZARD SCREENING METHOD: Pharos	HAZARD SCREENING DATE: 2020-01-10	
%: 0.00 - 0.01	GS: LT-P1	RC: None NANO: No ROLE: catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Please refer to other material notes.

SLATS %: 29.69 - 32.63

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed in accordance with suppliers data.

OTHER MATERIAL NOTES: Slats are made of thin MDF or HDF depending on supplier (two different suppliers). The content inventory is an average composition of the two different suppliers. Some substances have been obtained from supplier through a NDA process with the preparer.

SC:WOOD ID: SC:Bio HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-01-10 %: 76.40 - 93.00 **GS: Not Screened** RC: PreC ROLE: main component

NANO: **No**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: multiple softwood species

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Please refer to other material notes.

SUBSTANCE NOTES: Please refer to other material notes.

SLACK WAX (PETROLEUM)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.50 - 2.90

GS: LT-UNK

RC: None

NANO: No

ROLE: scavenger

MAZARD TYPE

AGENCY AND LIST TITLES

None found

No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10			1-10
%: 0.25 - 2.30	GS: LT-1	RC:	None	nano: No	ROLE: water repellent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	EU - GHS (H-Statements)		H350 - Ma	y cause cancer	
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			en &/or Reproductive Toxicant
	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		Waters	
CANCER	EU - Annex VI CMRs		Carcinoge animal evi		Presumed Carcinogen based on
CANCER	GHS - Australia		H350 - Ma	y cause cancer	

 $\hbox{\scriptsize SUBSTANCE NOTES: } \textbf{Please refer to other material notes.}$

MELAMINE-UREA-FORMALDEHYDE (MUF)

ID: 25036-13-9

ID: 64742-61-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 15.00	GS: LT-UNK	RC: None	nano: No	ROLE: binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	arnings found on h	HPD Priority Hazard Lists	
SUBSTANCE NOTES: Please	refer to other material notes.				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-10		
%: 0.00 - 4.80	gs: BM-4	RC: None	nano: No	ROLE: diluent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found on	HPD Priority Hazard Lists	
D					

SUBSTANCE NOTES: Please refer to other material notes. MUF resin.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CANCER	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Please refer to other material notes. MUF resin.

UREA FORMALDEHYDE ID: 9011-05-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	G DATE: 2020-01-1	10
%: 0.00 - 12.00	GS: LT-P1	RC: None	nano: No	ROLE: resin
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - s	sensitizer-induced	
SUBSTANCE NOTES: Please refer to other material notes.				

MAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-01-10
%: Impurity/Residual	GS: NoGS	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
None found			No warning	gs found on HPD Priority Hazard List

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-01-10
%: Impurity/Residual	gs: LT-UNK	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
None found			No warning	s found on HPD Priority Hazard Lists

UREA, N,N"-METHYLENEBI	S-			ю: 13547-17 -
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-01-10
%: Impurity/Residual	gs: NoGS	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warning	gs found on HPD Priority Hazard Lists

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	IG DATE: 2020-01	-10
%: 0.00 - 5.00	GS: BM-4	RC: None	nano: No	ROLE: humidity

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Please refer to other material notes.

AMMONIUM ION SOLUTION FOR ISE, 0.1 M NH4+, ANALYTICAL STANDARD (FOR ION-SELECTIVE ELECTRODES)

ID: 89485-85-8

HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-01-10
%: 0.00 - 0.40	GS: LT-P1	RC: None NANO: No ROLE: catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Please refer to other material notes.

PAINT %: 2.20 - 2.30

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed in accordance with suppliers data.

OTHER MATERIAL NOTES: White primer applied to the final door.

WATER

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-10

RC: None

NANO: No

ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Please refer to other material notes.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10			
%: 23.70	GS: LT-UNK	RC: UNK	nano: No	ROLE: pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	rnings found on F	IPD Priority Hazard Lists	

SUBSTANCE NOTES: Please refer to other material notes.

KAOLIN CLAY ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		F	HAZARD SCREENIN	G DATE: 2020-0	01-10
%: 16.40	GS: LT-UNK	F	RC: None	nano: No	ROLE: pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
CANCER	MAK		nogen Group 3B ot sufficient for c		carcinogenic effects

SUBSTANCE NOTES: Please refer to other material notes.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
GS: LT-1	RC: None	nano: No	ROLE: pigment	
AGENCY AND LIST TITLES	WARNINGS			
US CDC - Occupational Carcinogens	Occupational Carcinogen			
CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rout			
IARC	Group 2B - Possibly carcinogenic to humans - inhaled froccupational sources			
TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
MAK		•	cic carcinogen with low	
	GS: LT-1 AGENCY AND LIST TITLES US CDC - Occupational Carcinogens CA EPA - Prop 65 IARC TEDX - Potential Endocrine Disruptors MAK	GS: LT-1 AGENCY AND LIST TITLES WARNINGS US CDC - Occupational Carcinogens CA EPA - Prop 65 IARC Group 2B - Possib occupational source TEDX - Potential Endocrine Disruptors Potential Endocrine MAK Carcinogen Group but not sufficient to MAK Carcinogen Group	GS: LT-1 RC: None NANO: No AGENCY AND LIST TITLES WARNINGS US CDC - Occupational Carcinogens CA EPA - Prop 65 Carcinogen - specific to chemical f IARC Group 2B - Possibly carcinogenic t occupational sources TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor MAK Carcinogen Group 3A - Evidence or but not sufficient to establish MAKA	

SUBSTANCE NOTES: Please refer to other material notes.

ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE)

ID: 111-76-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	NG DATE: 2020-0	01-10
%: 1.50	gs: BM-2	RC: None	NANO: No	ROLE: solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

 $\hbox{\scriptsize SUBSTANCE NOTES: } \textbf{Please refer to other material notes.}$

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-01-10			
%: 0.30	GS: LT-1	RC: None	RC: None NANO: No ROLE: pigment			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	US CDC - Occupational Carcinogens	Occupational Ca	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - spe	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources				
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value				

SUBSTANCE NOTES: Please refer to other material notes.

1,2-BENZISOTHIAZOLIN-3-ONE (BIT)

ID: 2634-33-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 0.02	GS: LT-P1	RC: None NANO: No ROLE: additive		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES: Please refer to other material notes.

UV FINISH %: 0.65 - 0.72

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed in accordance with suppliers data.

OTHER MATERIAL NOTES: UV finish applied to the final door.

OILS, SOYABEAN ACRYLATE, EPOXIDISED

ID: 91722-14-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-01-10			
%: 37.70	GS: LT-UNK	RC: None	nano: No	ROLE: resin		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnii	ngs found on HPD	Priority Hazard Lists		

SUBSTANCE NOTES: Please refer to other material notes.

TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10			10
%: 32.20	GS: LT-P1		RC: None	nano: No	ROLE: resin
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
CHRON AQUATIC	EU - GHS (H-Statements)	H41	1 - Toxic to aquation	c life with long last	ing effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation			
SKIN SENSITIZE	EU - GHS (H-Statements)	H31	7 - May cause an a	allergic skin reactio	on
EYE IRRITATION	EU - GHS (H-Statements)	H31	9 - Causes serious	eye irritation	
MULTIPLE	German FEA - Substances Hazardous to Waters	Clas	ss 2 - Hazard to Wa	aters	
SKIN SENSITIZE	MAK	Sen	sitizing Substance	Sh - Danger of ski	n sensitization

SUBSTANCE NOTES: Please refer to other material notes.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: **55818-57-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-01-10			
%: 17.60	GS: LT-UNK	RC: None	nano: No	ROLE: resin		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnin	gs found on HPD	Priority Hazard Lists		

1-PROPANONE, 2-HYDROXY-2-METHYL-1-PHENYL-

SUBSTANCE NOTES: Please refer to other material notes.

ID: **7473-98-5**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10	HAZARD SCREENING DATE: 2020-01-10		
%: 5.00	GS: LT-UNK	RC: None NANO: No ROLE: Photoinitia	ator		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Haza	ard Lists		

TALC ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 3.60	GS: BM-1	RC: None NANO: No ROLE: pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Please refer to other material notes.

BENZOPHENONE ID: 119-61-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10		
%: 1.00	GS: LT-1	RC: None	ROLE: photoinitiator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	Carcinogen		
ENDOCRINE	ChemSec - SIN List	Endocrine Dis	sruption	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: Please refer to other material notes.

ACRYLIC ACID ID: 79-10-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-01-10

%: 0.20	GS: LT-P1	RC: None NANO: No ROLE: additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

WOOD DOWELS %: 0.38 - 0.51

SUBSTANCE NOTES: Please refer to other material notes.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed in accordance with suppliers data

OTHER MATERIAL NOTES: Wood dowels are composed of wood (91%) and PVAc glue (9%).

SC:WOOD					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-10			
%: 91.00	GS: Not Screened	RC: None	NANO: No	ROLE: main component	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	Hazard Screening not performed				

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: Acer rubrum

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Please refer to other material notes.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Not Tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

APPLICABLE FACILITIES: -

12-09

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

FSC Certification - Chain of Custody (COC)

EXPIRY DATE:

CERTIFYING PARTY: Third Party

SUSTAINABLE FORESTRY

ISSUE DATE: 2019-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: SAI Global

CERTIFIER OR LAB: -

APPLICABLE FACILITIES: Berthierville, Québec J0K

11-14

11-06

1A0 CANADA CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: FSC Code: SAI-COC-004382

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

More information about the declared false louver doors are available on PBI Doors' website: https://www.pbidoors.com/product-category/doors/louver-doors/false-louver/

MANUFACTURER INFORMATION

MANUFACTURER: PBI Doors
ADDRESS: 681 Melchers

Berthierville QC J0K 1A0, Canada

WEBSITE: www.pbidoors.com

CONTACT NAME: Jean Goudreau

TITLE: President

PHONE: 450-836-9130

EMAIL: jgoudreau@pbidoors.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.