

PBI opens our doors to you!

You open and close doors to enter and exit rooms, to keep in the warm or cool air, to protect private moments, to divide spaces and to hide messes. Behind any door you'll Find memorable moments. Not only do doors deFine your space, they also give personality to your daily life. They enhance your design and reflect your style.


PBI Doors manufactures and distributes superior quality doors with endless possibilities.

Follow these easy steps to choose your PBI doors



Is your style classic or contemporary?

Classic styles are more traditional, with added details built into door components. Contemporary styles Peature angular shapes and minimalist lines. Our Ovolo models offer more classic character, while Shaker models are more contemporary.



Choose your model.

Ovolo series	Shaker series	E-Sticking	Art-Deco	Louver series
Panel door	Panel door	Panel door	Panel door	Full Louver
One lite	One lite	One lite	One lite	Louver / Louver
Lino	-	-	-	Louver / Panel
Loft	-	-	-	-
Renaissance	-	-	-	-
Univerre	French door & One lite	French door & One lite	French door & One lite	-
French door	French door	French door	French door	-



Customize your door.

Wood species



Wide selection of glass: Clear, privacy and opaque




PBI Doors offers an infinite world of possibilities. Open up and take a look!



Louver DOOLS






Doors with regular or large slats

Combine elegance and utility with our Louver doors. Offered in traditional vented Louver doors where ventilation is required and in False Louver design.

Wood specie available MDF Primed

Standard measurements

[hickness: 1 ¾" and 1 ¾" Nidth: 1/0 to 3/0 (special width available up to 3/6) Height: 6/8 - 7/0 - 7/6 - 8/0















Bifolds with regular or large slats

Combine elegance and utility with our Louver bifolds. Offered in traditional vented Louver bifolds where ventilation is required and in False Louver design.

Wood specie available MDF Primed

Standard measurements

Inickness: 1 ¾ Width: 1/8 to 3/0 Height: 6/7 - 6/11 - 7/5 - 7/11





Shaker / E-Sticking Ponel doors


Wood species available Birch, Clear Pine, Maple, Oak, MDF

Doors shown in Primed.

Standard measurements


Thickness: 1 3⁄%" and 1 3⁄4" Width: 1/0 to 3/0 (special width available up to 4/0) Height: 6/8 - 7/0 - 7/6 - 8/0

* Available FIRE-RATED 20 minutes TYPE B





Visit our web site For 3D sample.




31


Shaker / E-Sticking Bifold ponel doors


Wood species available Birch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Primed.

3/8["]

Standard measurements Thickness: 1 ³/₈" Width: 1/8 to 3/0 Height: 6/7 - 6/11 - 7/5 - 7/11








▲ E-STICKING



1/2"

1/2







Ovolo Panel doors

Our panel door selection coordinates with century-old styles as well as today's new trends. We offer raised panel doors featuring panels in two standard thicknesses, 3/8" flat or 5/8" raised, for added definit.

Wood species available


Birch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Ook.

Standard measurements

Thickness: 1 ¾" and 1 ¼" Width: 1/0 to 3/0 (special width available up to 4/0) Height: 6/8 - 7/0 - 7/6 - 8/0

* Available FIRE-RATED 20 minutes TYPE B

















203KS 2/0-3/0

203AS 2/0-3/0

2040S 2/0 - 3/0



Ovolo Bifold panel doorr

In an era of increasingly restricted living spaces and multifunctional rooms, double bifold doors brilliantly overcome the challenge of a lack of space. Bifolds can also be used as a double door system to make any opening a grand entrance.

Wood species available

Birch, Clear Pine, Maple, Oak, White Primec Doors shown in Oak.

Mesures standards

Thickness: 1 ¾" Width: 1/8 to 3/0 Height: 6/7 - 6/11 - 7/5 - 7/1










Ovolo One-lite frame door

To brighten a room with natural light, choose a one-lite door. With many options to choose From, you will Find a door and glass style to complement your room's décor with depth and brilliance.

Wood species available

le Standard measurements

Width: 1/0 to 3/0 (special width available up to 4, Height: 6/8 - 7/0 - 7/6 - 8/0






Bifold one-lite frame doors

Wood species available

Birch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Clear Pine.

Standard measurements Thickness: 13/8" Width: 1/8 to 3/0










Door illustrated is #6000, Satin White glass, MDF Primed

Shaker / E-Sticking One-lite frame doors

Wood species available

Birch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Primed.

Available only in 3/8" Flat panel.



Standard measurements







▲ E-STICKING

Visit our web site For 3D sample.


Shaker One-lite bifold frome doorr

Wood species available

Birch, Clear Pine, Mapli Oak, MDF Primed Doors shown in Primed.

Standard measurements

Thickness: 1 3/8" Width: 1/8 to 3/0 Height: 6/7 - 6/11 - 7/5 - 7/11









Ovolo LINO Collection



Frame doors with

Wood species available irch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3/8" and 1 3/4" Width: 2/4 to 3/0 Height: 6/8 Only available in Ovolo. 2/4 - 3/0

BOHEME



Visit our web site for glass pattern.





Frame doors with decorative glass

Wood species available Birch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Clear Pine.

Standard measurements

Width: 1/0 to 3/0 Height: 6/8 - 7/0 - 7/6 - 8/(

Only available in Ovolo



Bifold frame doorr with decorative glass

Wood species available

Birch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Clear Pine.

Standard measurements

Thickness: 1 3/8" Width: 1/8 to 3/0 Height: 6/7 - 6/11 - 7/5 - 7/1

Only available in Ovolo



*Note: Models illustrated with code L have a 20 mm wide grill. Models illustrated with code M have a 40 mm wide grill.



1M80P 1/8 - 3/0	11 AOP 2/6 - 3/0
	TTATT

1MJOP 1/8 - 3/0

1LNOP 2/6 - 3/0



Ovolo RENALSANCE Collection



Frame doorr with decorative glass

The Renaissance Collection adds beauty and elegance with a variety of aluminum grill colors. Multiple glass choices provide boundless design inspiration.

Wood species available

Standard measurements



Bifold frame door with decorative glass

Wood species available

Standard measurements











104AOP 1/8 - 3/0



108AOP 2/6 - 3/0



PRAIRIE 2/0 - 3/0

112AO 2/4 - 3/O

Grill colours						
Width: 8 mm						
Chrome	Stainless					
Flat Silver	Venetian Bronze					
Gold						








Wood species available h Clear Pine Manle Oak MDF Primed

IPCN, Clear PINe, Maple, Uak, MDF Primed Doors shown in Clear Pine.

Only available in Ovolo.



Standard measurements Thickness: 1 3/8" and 1 3/4" Width: 1/0 to 3/0 Height: 6/8 - 7/0 - 7/6 - 8/0




1/0 - 3/0

1/0- 3/0

1/0 - 3/0

Shaker/ E-Sticking French doors



▲ E-STICKING



ART-DECO

French doors

A clean design with crisp, straight lines that complements a minimalist or contemporary design style.

Wood species available Birch, Clear Pine, Maple, Oak, MDF Primed

Standard measurements

Thickness: 1 3/3" and 1 3/4" Width: 1/0 to 3/0 (special width available up to 4/0) Height: 6/8 - 7/0 - 7/6 - 8/0



Bifold French doorr

Wood species available

Birch, Clear Pine, Map Oak, MDF Primed Doors shown in Primed.

Standard measurements

Thickness: 1 ¾" Width: 1/8 to 3/0 Height: 6/7 - 6/11 - 7/5 - 7/1

8020P 1/8 - 3/0 €020P 1/8 - 3/0	802EP 1/8 - 3/0 G02EP 1/8 - 3/0	
803HP 1/8 - 3/0	803LP 1/8 - 3/0	804HP 1/8 - 3/0
▲ 603HP 1/8 - 3/0	N/A	▲604HP 1/8 - 3/0
804LP 1/8 - 3/0	805HP 1/8 - 3/0	805LP 1/8 - 3/0
N/A	▲G05HP 1/8 - 3/0	N/A



Ovolo French doorr

Ovolo styles are all-time Favorites, reflecting today's trends while offering timeless classic designs. Available in 3/8" flat or 5/8" raised panel.

Wood species available

Birch, Clear Pine, Maple, Oak, MDF Primec Doors shown in Clear Pine.

Standard measurements

Thickness: 1 ¾" and 1 ¾" Width: 1/0 to 3/0 (special width available up to 4/0) Height: 6/8 - 7/0 - 7/6 - 8/0



302E 1/0 - 3/0	3020 1/0 - 3/0	303E 2/0 - 3/0	3093 2/0 - 3/0	3094 2/0 - 3/0	306Y 1/8 - 3/0
308Y 1/8 - 3/0	3100 1/8 - 3/0	3150 2/4 - 3/0	303H 1/0 - 3/0	303L 1/0 - 3/0	303M 1/0 - 3/0
304H 1/0 - 3/0	304L 1/0 - 3/0	304M 1/0 - 3/0	305H 1/0 - 3/0	305L 1/0 - 3/0	3050 1/0 - 3/0
3040 1/0 - 3/0	3080 1/8 - 3/0	3120 2/4 - 3/0	304A 1/0 - 3/0	308A 1/8 - 3/0	312A 2/4 - 3/0
3037 1/0 - 3/0	3067 1/8 - 3/0	3097 2/4 - 3/0	3030 2/0 - 3/0	3060 2/0 - 3/0	3090 2/4 - 3/0



3020C 1/0 - 3/0	3050C 1/0 - 3/0	31000 1/8 - 3/0	3150C 2/4 - 3/0	3040C 1/0 - 3/0	3080C 1/8 - 3/0						
3120C 2/4 - 3/0	304AC 1/0 - 3/0	308AC 1/8 - 3/0	312AC 2/4 - 3/0	3037C 1/0 - 3/0	3067C 1/8 - 3/0						
3097C 2/4 - 3/0	3030C 2/0 - 3/0	3060C 2/0 - 3/0	30900 2/4 - 3/0								
3020S 2/0 - 3/0	30505 2/0 - 3/0	31005 2/0 - 3/0	31505 2/4 - 3/0	30405 2/0 - 3/0	30805 2/0 - 3/0		oor illustrated	is #3040C, Satin	White glass, Clear Pine		
31205 2/4 - 3/0	304AS 2/0 - 3/0	308AS 2/0 - 3/0	312AS 2/4 - 3/0	30375 2/0 - 3/0	30675 2/0 - 3/0	30975 2/4 - 3	/0 3030:	S 2/0 - 3/0	3060S 2/0 - 3/0	3090S 2/4 - 3	3/0





Ovolo Bifold french doors

Ideal For smaller openings or confined spaces, bifold doors are as ingenious as they are functional, meeting your space-saving needs with charm and elegance. Opt for mirrored glass to make a room feel larger and brighter.

Wood species available

Birch, Clear Pine, Maple, Oak, MDF Primed Doors shown in Clear Pine.

Standard measurements

Thickness: 1 ¾" Width: 1/8 to 3/0 Height: 6/7 - 6/11 - 7/5 - 7/11













PBI can deliver your doors with a wide range of features to achieve the look you want, making installation a snap!

PBI Doors offers many installation options for your doors. We can trim or build your doors to custom sizes, premachine for hinges, drill for handle and latch holes, and machine for door accessories. We can include a complete jamb kit and even professionally paint or stain your doors for you. PBI Doors makes finishing your door project easy!



- Door width and height
- Standard sizes according
 to door style
- Custom built to your measurements (some restrictions may apply)





Installation options Premachined



Hinges premachined and door handle holes drilled at standard or custom locations.



Door handle holes drilled at standard or custom



Hinges premachined





Mortise lock (Available in 1 3/4" doors; wide stiles may be required






Dattam an





Transoms & Sidelites


 Transoms above doors are available in many different models, frame and glass options.







Please visit us at www.**pbidoors.com** For technical drawings and specifications.







When you buy a PBI door:

- You choose our expertise and precise craftsmanship
- You choose a superior quality product made with the latest and most advanced technology
- You enjoy a flawlessly smooth surface thanks to our sophisticated veneer techniques and four-stage sanding process
- You choose the strength and durability of a door that will last for years and comes with a one-year warranty against all manufacturing defects
- You choose a company that values customer service
- You choose our innovative products that comply with LEED specification

Open the door to your life's most beautiful moments!





PBI Doors 681, rue Melchers Berthierville (Quebec) JOK 1AO, Canada

1-844-PBI-DOOR (724-3667) Orders: sales@pbidoors.com Quotes: quotes@pbidoors.com www.pbidoors.com



